


# Potential sources of asbestos in the home



- |   |   |  |   |
|---|---|--|---|
| 1 Roof felt and shingles                          | 9 Pipe insulation   | 15 Soffit boards can be made of asbestos cement or asbestos insulating board             | 20 Window putty   |
| 2 Loose, blown-in insulation, such as vermiculite | 10 Main panel and fuse box; each fuse wire has an individual asbestos flash guard | 16 Textured or stipple-coated walls and ceilings   | 21 Flooring: vinyl tiles and linoleum sheet flooring; flooring adhesive |
| 3 Incandescent light fixture backing              | 11 Door and gasket covers   | 17 Asbestos cement (transite) board siding and undersheeting                             | 22 Downpipes can be made of asbestos cement                             |
| 4 Roof gutters can be made of asbestos cement     | 12 Backing behind recessed lighting   | 18 Outlets and switches  | 23 Insulation on electrical wires                                       |
| 5 Artificial fireplace logs and ashes             | 13 Boiler and furnace insulation  | 19 Gypsum board filling compound, and patching and joint compound for walls and ceilings | 24 Heat reflector for wood stove  |
| 6 Acoustic tiles                                  | 14 Asbestos can be found in stucco  |  |   |
| 7 Deck undersheeting                              |   |  |   |
| 8 Asbestos pad under the fireplace hearth         |   |  |   |

**Please note:** This floor plan depicts a typical older home. Asbestos use has declined significantly; homes built before 1990 are more likely to contain asbestos products.